



# Brass Georgian Wiring Accessories

Highest quality accessories with a cast brass plate and  
an attractive Georgian style rope edge design




No visible plastic around switches



Cast brass plate with Georgian rope edge



Integral moisture protection gasket



Angled in-line colour coded captive terminals

Switches & Sockets	2
Round Pin & Export FCUs	2
45 Amp Switches	3
Coax & Satellite	4
Telephone & Data	4
Dimmers	5
Shaver Sockets	5
Blank Plates	5
Key Card Switch	6
Accessories	6



Range Content

45 Amp Switches

13 Amp Sockets

10AX Switches


Fused Connection Units

Coax & Satellite

Cat No.	Description	Inner Carton	Outer Carton
<b>10 Amp 10AX Plate Switches</b>			
NBG12	10AX plate switch 1 gang, 2 way	5	50
NBG13	10AX plate switch intermediate	5	50
NBG14	Bell push	5	50
NBG15	10AX plate switch 3 pole fan isolator	5	50
NBG42	10AX plate switch 2 gang, 2 way	5	50
NBG43	10AX plate switch 3 gang, 2 way	5	50
NBG44	10AX plate switch 4 gang, 2 way	5	50

- Plate-switches manufactured to BS EN 60669-1, fan isolator to IEC 60669-2-4.
- Captive terminal screws

- Terminal capacity 4 x 1.0mm<sup>2</sup>, 4 x 1.5mm<sup>2</sup>, 2 x 2.5mm<sup>2</sup> & 1 x 4.0mm<sup>2</sup>
- Minimum mounting box depth 16mm



<b>13 Amp Double Pole Socket Outlets</b>				
Black	White			
NBG21B	NBG21W	1 gang 13A switched	5	50
NBG22B	NBG22W	2 gang 13A switched	5	50

- Manufactured to BS 1363 part 2
- Insert colours = White (W) and Black (B)

- Minimum mounting box depth 25mm
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 3 x 4.0mm<sup>2</sup> & 2 x 6.0mm<sup>2</sup>



<b>Round Pin and Export Socket Outlets</b>				
Black	White			
NBG28B	NBG28W	2A unswitched socket round pin	5	50
NBG29B	NBG29W	5A unswitched socket round pin	5	50
NBG99B	NBG99W	15A 1 gang switched socket	5	50
NBG98B	NBG98W	16A 2 gang unswitched Euro socket	5	50

- Manufactured to BS 546
- Insert colours = White (W) and Black (B)

- Minimum mounting box depth 25mm



# Brass Georgian

Cat No.	Description	Inner Carton	Outer Carton
<b>20 Amp Double Pole Switches</b>			
NBG31	20A DP switch with power indicator	5	50




- Manufactured to BS EN 60669-1
- Colour coded terminals with captive angled screws
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 2 x 4.0mm<sup>2</sup> & 1 x 6.0mm<sup>2</sup>
- Minimum mounting box depth 25mm

<b>13 Amp Fused Connection Units</b>			
NBG50	13A switched	5	50
NBG52	13A switched with power indicator	5	50
NBG53	13A switched with power indicator and cable outlet	5	50
NBG54	13A unswitched	5	50
NBG55	13A unswitched with cable outlet	5	50

- Manufactured to BS 1363 part 4
- Minimum mounting box depth 35mm

- Angled colour coded terminals with captive screws
- Terminal capacity 3 x 2.5mm<sup>2</sup>, 2 x 4.0mm<sup>2</sup> & 1 x 6.0mm<sup>2</sup>



<b>45 Amp Double Pole Switches</b>			
Black	White		
NBG70B	NBG70W	With 13A socket & power indicator	5 50
NBG72	-	With power indicator, double plate	5 50
NBG74	-	With power indicator, single plate	5 50

- Cooker Control Units manufactured to BS4177, Double Pole Switches to BS EN 60669-1
- Insert colours = White (W) and Black (B)
- L & N terminal capacity 4 x 4.0mm<sup>2</sup>, 3 x 6.0mm<sup>2</sup> & 1 x 16.0mm<sup>2</sup>
- E terminal capacity 3 x 4.0mm<sup>2</sup>, 2 x 6.0mm<sup>2</sup> & 1 x 16.0mm<sup>2</sup>
- Minimum mounting box depth 47mm



# Brass Georgian

Cat No.	Description	Inner Carton	Outer Carton
<b>Co-Axial and Satellite Sockets</b>			
NBG60	Co-axial socket, 1 gang	5	50
NBG61*	Co-axial socket, 2 gang	EM	-
NBG62*	Isolated co-axial socket, 1 gang	EM	-
NBG63*	Isolated co-axial socket, 2 gang	EM	-
NBG64*	Satellite socket, 1 gang	EM	-
NBG65*	Satellite and co-axial socket, 2 gang	EM	-
NBG66*	Diplex TV/FM socket, 2 gang	EM	-
NBG67*	Triplex TV/FM/Sat - Screened	EM	-
NBG68*	Triplex TV/FM/Sat + Return & 1 gang Tel - Screened	EM	-
NBG69*	Quadplex TV/FM/Sat (x2) + Return & 1 gang Tel - Screened	EM	-

- EM = Euro Module configuration
- \* Supplied as kit of Euro Module components


- Co-axial and satellite minimum mounting box depth 25mm
- For white modules - please see our Euro module range



<b>Telephone and Data Outlets</b>			
NBGBTM1	Telephone master, 1 gang	5	50
NBGBTM2*	Telephone master, 2 gang	EM	-
NBGBTS1	Telephone slave, 1 gang	5	50
NBGBTS2*	Telephone slave, 2 gang	EM	-
NBGRJ111	RJ11 socket, 1 gang	5	50
NBGRJ112*	RJ11 socket, 2 gang	EM	-
NBGRJ451	RJ45 data outlet socket, 1 gang	5	50
NBGRJ452*	RJ45 data outlet socket, 2 gang	EM	-

- \* Supplied as kit of Euro Module components
- Minimum mounting box depth 35mm

- For white modules - please see our Euro module range



<b>Fan Controller</b>			
NBG87	1 gang, 1 way rotary, 400W	5	50



- Manufactured to BS EN 60669-2-1
- Minimum mounting box depth 35mm



# Brass Georgian

Cat No.	Description	Inner Carton	Outer Carton
<b>Dimmer Switches - Push On/Off</b>			
NBG81P	1 gang, 2-way push 400W	5	50
NBG82P	2 gang, 2-way push 400W	5	50
NBG83P	3 gang, 2-way push 400W	5	50
NBG84P	4 gang, 2-way push 400W	5	50
NBG85P	1 gang 1000W - square plate (export)	5	50

- Suitable for tungsten lamps, low voltage transformers & mains GU10 halogen \*  
\*De-rating required
- Manufactured to BS EN 60669-2-1



<b>Shaver Socket</b>			
Black	White		
NBG20B	NBG20W	115/230V dual voltage	5



- Manufactured to BS EN 61558-2-5

**INSERT COLOURS:**  
W = White, B = Black.


<b>Blank Plate</b>			
Cat No.	Description	Inner Carton	Outer Carton
NBG94	1 gang	5	50
NBG95	2 gang	5	50



- Manufactured to BS EN 5733

# Brass Georgian

Cat No.	Description	Inner Carton	Outer Carton
<b>Euro Module Front Plates</b>			
NBGEMS1	Single euro module, single plate	10	100
NBGEMS2	Twin euro module, single plate	10	100
NBGEMR4	Quad euro module, double plate	5	50



<b>16 Amp Hotel Key Card Switch</b>			
Cat No.	Description	Inner Carton	Outer Carton
NBGKYCSW*	16 amp, hotel key card switch	EM	-



- 50 x 50mm Euro module
- Load Rating -  
1800W for resistive  
800W for inductive
- 30 second power-off delay
- Locator LED
- Suitable for 32mm mounting boxes
- Colour coded terminals with backed-out and captive screws
- Designed and manufactured to BS EN60669-4
- \* Supplied as kit of Euro Module components


<b>Spare Accessories</b>			
Cat No.	Description	Inner Carton	Outer Carton
NFS19/10BR	M3.5 x 19mm screws, pack of 10	100pks	1000
NFS28/10BR	M3.5 x 28mm screws, pack of 10	100pks	1000
NFS38/10BR	M3.5 x 38mm screws, pack of 10	100pks	1000



# Euro Module - Range Extension

A flexible solution of power, data, telephone, television and audio combinations to suit the wide ranging needs of the customer.


- Select the desired combination of front-plate and module(s).
- Simple installation, wire the module through the front-plate aperture then push click the module in place.



# Grid - Range Extension

A customisable selection of power grid modules that provide a seamless appearance with the associated wiring accessories.

- Firstly, screw the grid frame to the mounting box and wire the modules
- Then slot the module on to the frame and click into place
- Finally, fit the finished plate



## UK Technical Support

Tel: 0845 194 7584

Email: [technical.support@bgelectrical.co.uk](mailto:technical.support@bgelectrical.co.uk)

UK & European Sales  
& Distribution Centre

Stafford Park 1  
Telford  
Shropshire  
England  
TF3 3BD

Tel: +44 (0) 1952 238 100  
Fax: +44 (0) 1952 238180  
Email: [sales@bgelectrical.co.uk](mailto:sales@bgelectrical.co.uk)

Asia Sales, Manufacturing  
& Distribution

No 1438, Jiachuang Road,  
Xiuzhou Industrial Park,  
Jiaxing, Zhejiang  
China  
P.C. 314031

Tel: +86 (0) 573 8357 0200  
Fax: +86 (0) 573 8357 0248  
Email: [sales@nexus.cn](mailto:sales@nexus.cn)

US Sales  
& Distribution

Nexus Innovations Inc  
8300 FM 1960  
West Suite 450  
Houston, Texas  
77070, United States

Tel: +1 281 671 6802  
Fax: +1 281 671 6605  
Email: [us\\_sales@nexusinds.com](mailto:us_sales@nexusinds.com)

Middle East  
Sales

Room 114  
Mohd. Abdulla Latif Al Mulla Bldg  
Al Muteena Street  
Deira Dubai, UAE  
PO Box 118704

Tel: +971 4 236 6890  
Fax: +971 4 236 6857  
Email: [mea\\_sales@nexusinds.com](mailto:mea_sales@nexusinds.com)